

Job Name:	
Tag#	



<b>Submittal Data Sheet</b>	<b>FDMQ18RVJU</b>
1.5-Ton Ducted Concealed Indoor Unit	



Complete warranty details available from your local dealer or at [www.daikincomfort.com](http://www.daikincomfort.com). To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Indoor Specifications				
	Cooling		Heating	
	H	M	H	M
Airflow Rate (cfm)	675	572	675	572
	L		L	
	473		473	
Sound (dBA)	35		35	
Dimensions (H x W x D) (in)	9-5/8 x 39-3/8 x 31-1/2			
Weight (Lbs)	82			
Nominal Capacity (Btu/hr)	18,000			

\*See Outdoor Unit for Rated Capacities

Piping	
Liquid (in)	1/4
Gas (in)	1/2
Drain (in)	1

<b>Optional Accessories</b>	
-----------------------------	--

Indoor Unit – One Controller required		
Included	Part Number	Description
	BRC1E73	Wired Remote Controller
	BRC082A43	Wireless Remote Controller
	KRCS01-4B	Remote Sensor
	DACA-CP2-1	Maxi Orange Condensate Pump (up to 49 ft head)
	DACA-CP3-1	Mini Condensate Pump (up to 33 ft head)
	KRP1C74	Wiring Adaptor
	KRP4A98	Mounting Plate
	DFBS39A13	MERV 13 Filter Kit
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor
	KRP4A71	Group Control Adaptor PCB


<b>Standard Equipment</b>	
---------------------------	--

Part Number	Description
2261089	Drain Pump
2261096	Float Switch Assy.

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)


# FDMQ18RVJU Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

# External Static Pressure / Airflow Chart



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)